




RC-A009



PRODUCT DRAWING



PRODUCT SPECIFICATION



| | |
|----------------|-----------------|
| Product Name | Adventure Net 9 |
| Product Number | RC-A009 |
| Size -- Length | 9.21 m / 20' 5" |
| Size -- Width | 9.87 m / 22' 7" |
| Size -- Height | 2.77 m / 9' 1" |
| Foundations | 10 |

| | ASTM F-1487 | CSA Z614 | EN 1176 |
|-----------------------|--------------------|--------------------|--------------------|
| Ages | 5 years - 12 years | 5 years - 12 years | 6 years - 12 years |
| Safety Zone -- Length | 12.8 m / 42' | 12.8 m / 42' | 12.1 m / 39' 8" |
| Safety Zone -- Width | 12.8 m / 42' | 12.8 m / 42' | 12.1 m / 39' 8" |
| No-Encroachment Zone | Not Applicable | Not Applicable | Not Applicable |

*Note: Concrete must be minimum 3500 PSI / 25MPa

Product Features:

| | |
|-------------------------|--|
| SUPPORT POSTS: | This will be 5 1/2" (139.8mm) OD phosphate dipped steel tubing finished with hot dipped galvanization. |
| CLIMBING NETS: | These will be 20 mm diameter, polyamide (nylon) rope cable with UV protection and fire retardant solution. Each rope consists of 6 strands each containing 24 galvanized steel reinforcing strands within a polyamide sleeve, wrapped around a solid polyamide core for a total of 144 steel reinforcing strands; each end of the cable having a junction loop attached onto the cable with a finished aluminum sleeve and lined with a galvanized steel wear bar. Rope shall achieve a Class 7-8 Colourfastness rating. |
| BALL KNOTS: | This will be a one-piece compressed aluminum ball, compressed in place with 150,000 pounds force (667 kN) to prevent the connection from moving and causing premature cable wear. |
| BASIC FASTENERS: | All fasteners for component attachments are stainless steel. |
| INSTALLATION: | This should be installed only by a licensed playground installer, trained and certified on the relevant playground standards in place in the region of installation, e.g., NPSI, CPSI or similar certified. |

COMPLIANT WITH:

CAN/CSA-Z614-07


ASTM F-1487-11

EN-1176


CPSC Handbook for Public Playground Safety



† Where proper surfacing is used, this product meets the ADAAG guidelines for accessibility, allowing the same play possibilities for people of all abilities.



Support Posts



Climbing Net - 20 mm



Ball Knot

